






COURTYARD[®]
ALUMINUM FENCE SYSTEMS


*Virtually Maintenance Free
Lifetime Warranty^s*

HUNDRED SERIES




Residential Aluminum Fence




Model 0131 - 3 Rail - with Spears
Heights: 36", 42", 48" & 60" • Length: 6' Sections



Model 0132 - 3 Rail - w/Alt. Spears
Heights: 36", 42", 48" & 60" • Length: 6' Sections




Model 0141 - 4 Rail - with Spears
Height: 72" • Length: 6' Sections





Model 0142 - 4 Rail - w/Alt. Spears
Height: 72" • Length: 6' Sections


Residential




Model 0220 - 2 Rail - Flat Top
Height: 48"* • Length: 6' Sections




Model 0230 - 3 Rail - Flat Top
Heights: 36", 42", 48", 55"* & 60" • Length: 6' Sections



Model 0233 - 3 Rail - Flat Top w/Alt. Spears
Heights: 36", 42", 48", 55"* & 60" • Length: 6' Sections



Model 0240 - 4 Rail - Flat Top
Height: 72" • Length: 6' Sections



Model 0243 - 4 Rail - Flat Top w/Alt. Spears
Height: 72" • Length: 6' Sections

* Meets National Pool Code Requirements for Height and Spacing.
Check Local Pool Code Requirements.

Features & Special Options

- **Verified AAMA 2604-05 Compliant Powder Coated Aluminum Fence.**
Posts: 6063 - T5 • Rails: 6063 - T6 • Pickets: 6063 - T52
- **No Screws -**
Patented Hidden E-Clip (Patent #US 7,152,849 B2)
Patented Rail Locks (Patent #US 7,134,647 B2)
- **Gates - All Rails and Pickets are Welded.**
- **Lifetime Warranty[§].** § 30-Year for Government, Municipalities and Corporations
- **Standard Sections... Rack - 12" in 6'.**
- **Assembled Sections for Quick Installation.**
- **Eliminate Freight Damage with Company Owned Trucks and Securely Packaged Loads.**

Colors



DS1 101 Satin Black DS1 106 Black Fine Texture DS1 103 Metallic Bronze DS1 107 Metallic Bronze Fine Texture DS1 111 Evergreen DS1 104 Gloss Beige DS1 102 Gloss White DS1 110 Gold (optional)

Colors shown are a close representation of the true color. Please consult actual samples for accurate powder coating colors.



Finials



Post Caps



Touch Up Cans and Pens



Ring Assembly



Gold Accent Powder Coating (Optional)



Rail Profile



ELIMINATE SCRATCHES

Hidden Rail Locks
(Patent #US 7,134,647 B2)



No UNSIGHTLY SCREWS!

Hidden E-Clip Fasteners
(Patent #US 7,152,849 B2)




Wall Mount



Swivel Mount



Post Mount



Welded Plate



Post Flair

SPECIFICATIONS

Hundred Series

	0131	0132	0141	0142	0220
Fence Heights	36", 42", 48", 60"	36", 42", 48", 60"	72"	72"	48"
Posts	2" x 2" x .060" wall w/6' centers	2" x 2" x .060" wall w/6' centers	2" x 2" x .090" wall w/6' centers	2" x 2" x .090" wall w/6' centers	2" x 2" x .060" wall w/6' centers
Gate Posts	2" x 2" w/Inserts = .310" Wall	2" x 2" w/Inserts = .310" Wall	2" x 2" w/Inserts = .215" Wall	2" x 2" w/Inserts = .215" Wall	2" x 2" w/Inserts = .310" Wall
Post Caps	2" Flat Cap/Standard 2" Ball Cap/Optional	2" Flat Cap/Standard 2" Ball Cap/Optional	2" Flat Cap/Standard 2" Ball Cap/Optional	2" Flat Cap/Standard 2" Ball Cap/Optional	2" Flat Cap/Standard 2" Ball Cap/Optional
Rails	1" Height x .080" Wall x 1 1/8" Width x .055" Wall	1" Height x .080" Wall x 1 1/8" Width x .055" Wall	1" Height x .080" Wall x 1 1/8" Width x .055" Wall	1" Height x .080" Wall x 1 1/8" Width x .055" Wall	1" Height x .080" Wall x 1 1/8" Width x .055" Wall
Pickets	5/8" x 5/8" x .045" Wall	5/8" x 5/8" x .045" Wall	5/8" x 5/8" x .045" Wall	5/8" x 5/8" x .045" Wall	5/8" x 5/8" x .045" Wall
Picket Spacing	3.792" between Pickets	3.792" between Pickets	3.792" between Pickets	3.792" between Pickets	3.792" between Pickets
Finial Option	Triad, Quad	Triad, Quad	Triad, Quad	Triad, Quad	

	0230	0233	0240	0243
Fence Heights	36", 42", 48", 55"*, 60"	36", 42", 48", 55"*, 60"	72"	72"
Posts	2" x 2" x .060" wall w/6' centers	2" x 2" x .060" wall w/6' centers	2" x 2" x .090" wall w/6' centers	2" x 2" x .090" wall w/6' centers
Gate Posts	2" x 2" w/Inserts = .310" Wall	2" x 2" w/Inserts = .310" Wall	2" x 2" w/Inserts = .215" Wall	2" x 2" w/Inserts = .215" Wall
Post Caps	2" Flat Cap/Standard 2" Ball Cap/Optional	2" Flat Cap/Standard 2" Ball Cap/Optional	2" Flat Cap/Standard 2" Ball Cap/Optional	2" Flat Cap/Standard 2" Ball Cap/Optional
Rails	1" Height x .080" Wall x 1 1/8" Width x .055" Wall	1" Height x .080" Wall x 1 1/8" Width x .055" Wall	1" Height x .080" Wall x 1 1/8" Width x .055" Wall	1" Height x .080" Wall x 1 1/8" Width x .055" Wall
Pickets	5/8" x 5/8" x .045" Wall	5/8" x 5/8" x .045" Wall	5/8" x 5/8" x .045" Wall	5/8" x 5/8" x .045" Wall
Picket Spacing	3.792" between Pickets	3.792" between Pickets	3.792" between Pickets	3.792" between Pickets
Finial Option		Triad, Quad		Triad, Quad

* Meets National Pool Code Requirements for Height and Spacing. Check Local Pool Code Requirements.


Strong Welded Gates



Standard Walk Gate



U-Frame Walk Gate



CourtYard® Gates
All Rails and Pickets are welded.

- Hundred Series Gates use Non-corrosive Hardware.
- Single Gates up to 10' Wide. • Double Gates up to 20' Wide.



Locking Latch



Self-Closing Wall Hinge



Circle of Commitment
Dynamic • Solutions • Innovation

Manufacturing & Distribution Facilities:

- Bremen, IN • Randleman, NC • Sarcoxie, MO • Valdosta, GA



Manufacturer of Verified Components



Quality Products By:



D I S T R I B U T E D B Y :

Allegheny Fence
4301 Irvine Street
Pittsburgh, PA 15207
412-421-6005
412-421-1734 FAX