

A company who cares as much as you.



more
than
50 styles

We Care




CHARTER MEMBER
VINYL FENCE, DECK AND RAILING
MANUFACTURERS ASSOCIATION
A Division of the American Fence Association

FENCE FACTS

Country Estate® is the original white polyvinyl fence.





We Care

COUNTRY[®]
ESTATE
FENCE, DECK & RAILING

Thank you for asking ...

This page: Springfield

COUNTRY ESTATE FENCE

The Test of Time...

*Eliminate peeling, flaking, rusting,
blistering or corrosion . . .
and discourages horses cribbing
. . . and never paint again.*



FOR YOUR INFORMATION

Country Estate Products . . . Matchless Integrity	4
Finding a Good Dealer and/or Installer	4
Do You Need a Fence Contractor?	5
Our 50 Year Non-Prorated Limited Warranty	5
What is a Lifetime Warranty? (USA Today Newspaper)	5
Beware of Inferior Products	6
The Original Polyvinyl Fence	37
Planning Your Project	41
Our Customers Say It Best	11, 18, 22, 23
Country Estate History	42

COUNTRY ESTATE FENCE STYLES

Residential	7
Alton	8
Arlington	9
Brighton	8
Caribbean	10
Clarendon	9
Clayton	8
Dalton	8
Dartmouth	9
Dawson	11
Denver	12
Exeter	9
Georgetown	13
Hampton	14
Hannibal	15
Hanver	12
Hollingsworth	17
Kensington	16
Lakeland, Lakeland Convex, Concave, and Heavy Duty	17
Lincolnshire	18
Malibu	20
Marseille	21
Melbourne	22

Montauk, Montauk Point-Straight, Step & Scallop	19
Nantucket	13
Rochester	23
Springfield	24
Windsor	25
Dura-Lattice	26

Neighbor Friendly Fence	27
Superior Quality Fence	28
Atlantic	29
Cape Cod	29
Missouri	30
Pacific	30
Pacific Diamond	31
Potomac	31
Ranchero	32
Ranchette	32
Sacramento	33

Country Estate Gates	34
-----------------------------	----

Rail Fence	35
2-Rail Fence	36
3-Rail Fence	36
4-Rail Fence	36
Round Rail Fence	36

DECKING AND HAND RAILING

Country Estate Decking	40
Country Estate Hand Railing	39

COUNTRY ESTATE FENCE, DECK, AND RAILING OPTIONS

Colors	38
Post Cap Styles	38
Custom Gates	34
Hardware	41

Do you need a fence contractor?

An experienced professional with proper tools makes a job look easy and he produces a quality product. He will provide you with your total cost before the project begins. His expertise will help you with:


1. Building codes and permits, plus licenses and insurance as needed. Each political sub-division establishes its own requirements so they vary widely.
2. Buried utility lines can pose a danger. If you are not familiar with the "locator service" in your area, contact a utility and they will place you in touch. Most locator services will mark all buried lines to the meter—you

will need to identify buried lines between any meter and your residence (including electrical, gas, water, sewer, telephone and TV cable). Errors can be very expensive and may put your fence contractor and his employees at great risk.

If you are installing your own Country Estate Fence, call 800-445-2887 for a free installation guide. Or download one from our website www.countryestate.com. The Country Estate warranty requires that the fencing be installed according to the manufacturer's recommendations.

Country Estate® Products carry the industry's finest limited warranty.

If you find a major manufacturer's published warranty on PVC fencing that you and/or your attorney feel will better protect your investment than Country Estate's published warranty, submit your request to us in writing along with a copy of the competitor's warranty and we will warrant our product using the competitor's warranty rather than ours.



Warranties are only as good as the company behind them. Be certain to understand warranty detail before you buy.

Call 1-800-445-2887 for your free copy of the entire article.



COUNTRY[®] ESTATE FENCE

Beware of PVC co-extrusions, vinyl clad wood or any other product which attempts to imitate Country Estate[®] Fence quality.



The difference between co-extrusion and solid-wall extrusion is serviceable life. Country Estate Fence is constructed exclusively of solid-wall virgin polyvinyl compounds.

Co-extrusion produces a two-layered product which uses varying and differing grades of material in its inner and outer layers. From a distance, a co-extruded product may look like Country Estate, but if you examine a cross-cut section, you will see the difference. An outer layer, sometimes as thin as a coat of paint, covers a compromised imitation of virgin polymers. If your grandmother had a solid wood dining room table she was mighty proud of it, today it is someone's prized possession. Most likely, the veneered version of that same table hasn't stood the test of time.

Vinyl-clad wood fencing products can be no better than the wood they hide. They remain subject to warp, swelling, and rot.

Producers who imitate Country Estate in appearance without duplicating Country Estate quality are making compromises designed for no other reason than to increase their profit.

Specifying Country Estate solid-wall 100% virgin PVC fence, which uses these same high-quality materials, stabilizers and modifiers throughout the entire extruded profile, is your best guarantee. The manufacturer of Country Estate PVC Fence Products is the most experienced and time-proven producer in the marketplace.

COUNTRY[®]
ESTATE
FENCE, DECK & RAILING

Residential Fence

This page: *Springfield*
(Gothic caps optional)

more
than
50 styles


We Care



Alton, Brighton, Clayton and Dalton

The ambience of wrought iron.

If you like picket fence, this series is certain to have a style you like. The Alton provides the ultimate in picket fence simplicity, certain not to hide your favorite flowers and shrubs. The Brighton includes an intermediate height picket for greater decor . . . and the Clayton offers a similar design with a full height picket. If you would like some flair, look at the unique Dalton Series. This family of styles is sturdy, economical, and provides the ambience of the old wrought iron fence.



Standard Height Options:	48", 60", or 72"
Post Spacing Options:	6' center-to-center (Notice - Posts must be exactly centered to allow for expansion.)
Post Dimensions:	48" High Fence = 4" x 4" x 72" 60" High Fence = 4" x 4" x 96" 72" High Fence = 4" x 4" x 108"
Standard Post Depth:	48" High Fence = 24" Post Depth (Local conditions may require additional depth.) 60" High Fence = 36" Post Depth 72" High Fence = 36" Post Depth
Standard Cap Style	4"x4" Traditional (External Flange)
Horizontal Dimensions:	1 3/4" Thick x 3 1/2" Wide Radius corner sections also available.
Pickets (Verticals)	
Alton Spacing Between Pickets:	5"
Brighton, Clayton	
Spacing Between Pickets:	2"
Dalton Spacing Between Pickets:	2 1/8"
Picket Dimensions:	1" x 1"
Ground Clearance:	2"
(Grade variations will cause inconsistent ground clearance measurements.)	

COUNTRY
ESTATE
FENCE



Alton

The Alton offers the cleanliness of a single, full height picket design.



Brighton

The Brighton combines a full height picket and a mid-height for an interesting pattern. Brighton works well to highlight a yard or protect a swimming pool without impairing visibility.



Clayton

The Clayton utilizes alternating full height pickets. The Clayton is an attractive accent to many home styles.



Dalton

U.S. Patent No. D380,557


The Dalton makes a wonderful backdrop for flowers or climbing plants.

Arlington, Clarendon, Dartmouth and Exeter

We call it the Back Bay Series.

This interesting group of fence styles is both ornate and elegant. A unique combination of verticals topped with Quad finials and/or Fleur de lis caps.

Select the style that offers just the right amount of privacy and visibility . . . there is a style to fit your home.



A unique combination of alternating finials and caps.



The Clarendon features alternating verticals framed by strong horizontal rails.



Check with local building codes for pool enclosure regulations.

The Dartmouth provides semi-privacy with a touch of Victorian tradition.



The Exeter represents our most ornate Victorian style fence. It is perfect for the right setting.

Standard Height Options:	48", 60", or 72"
Post Spacing Options:	6' center-to-center (Notice - Posts must be exactly centered to allow for expansion.)
Post Dimensions:	48" High Fence = 4" x 4" x 72" 60" High Fence = 4" x 4" x 96" 72" High Fence = 4" x 4" x 108"
Standard Post Depth:	48" High Fence = 24" Post Depth (Local conditions may require additional depth.)
Standard Cap Style	4" x 4" Traditional (External Flange)
Horizontal Dimensions:	1 3/4" Thick x 3 1/2" Wide Radius corner sections also available.
Pickets (Verticals)	
Arlington & Clarendon Spacing	4.75"
Exeter Spacing Between Pickets:	5"
Dartmouth Spacing Between Pickets:	2"
Picket Dimensions on Arlington, Clarendon, & Exeter:	1" x 1"
Picket Dimension on Dartmouth:	1" x 1" and 1" x 4"
Ground Clearance:	2"
(Grade variations will cause inconsistent ground clearance measurements.)	

It's your choice . . .




Fleur de lis



Quad finials

Caribbean

The clean lines of Caribbean style fence are like a welcome sea breeze. Carefully spaced verticals let fresh air flow through without sacrificing the privacy you desire. Concerned about design? You'll find the sleek Caribbean style is complimentary to many of today's modern home styles. While your neighbors are scraping and painting their wood fence, you can lean back in your lawn chair and silently congratulate yourself for choosing Country Estate Fence, free from traditional maintenance.



Standard Height Options:	48", 60", or 72"
Post Spacing Options: (Notice - Posts must be exactly centered to allow for expansion.)	6' or 8' center-to-center
Post Dimensions:	48" High Fence = 5" x 5" x 72" 60" High Fence = 5" x 5" x 96" 72" High Fence = 5" x 5" x 108"
Standard Post Depth: (Local conditions may require additional depth.)	48" High Fence = 24" Post Depth 60" High Fence = 36" Post Depth 72" High Fence = 36" Post Depth
Standard Cap Style	5" x 5" Traditional (External Flange)
Horizontal Dimensions:	1 3/4" Thick x 3 1/2" Wide
Pickets (Verticals) 6' Post Spacing 8' Post Spacing Dimensions:	5/8" Between Pickets 15/16" Between Pickets 1" Thick x 6" Wide
Ground Clearance: (Grade variations will cause inconsistent ground clearance measurements.)	2"

COUNTRY
ESTATE
FENCE




(Post ends optional)



(Gothic caps optional)



The Dawson is designed for elegance. It is at home with many modern or classic American homes. Traditional Country Estate construction includes sturdy 5" x 5" posts, reinforced horizontals and exquisite cap design. Dawson provides semi-privacy with a hint of the landscape behind it. See your Country Estate authorized independent dealer for all of the details.



(Post ends optional)

Standard Height Options:	48", 60", 72"
Post Spacing Options:	8' center-to-center (Notice - Posts must be exactly centered to allow for expansion.)
Post Dimensions:	48" High Fence = 5" x 5" x 72" 60" High Fence = 5" x 5" x 96" 72" High Fence = 5" x 5" x 108"
Standard Post Depth:	48" High Fence = 24" Depth 60" High Fence = 36" Depth 72" High Fence = 36" Depth
Standard Post Cap:	5" x 5" Traditional (External Flange)
Horizontal Dimensions:	2" Thick x 3.5" Wide (Top) 2" Thick x 3.5" Wide (Middle) 2" Thick x 6" Wide (Bottom)
Radius corner sections also available.	
Picket Dimensions (Verticals):	1 1/2" Thick x 1 1/2" Wide
Ground Clearance:	2"
(Grade Variations will cause inconsistent ground clearance measurements.)	



(Post ends optional)



(Gothic caps optional)

Our customers say it best . . .

I am very happy with the fence! I have had numerous compliments on the beauty of it. Friends and strangers have stopped to get a good look. Some come to the house to ask where and who put it in. Our dealer was very helpful in helping me decide location, length, end pieces, etc.

M.E.C. - Charlton City, MA

Our dealer was prompt to take care of our needs and requests. We are very pleased with the project.


M.R.J. - Omaha, NE

With the expertise of our Country Estate dealer, my back yard looks like a million bucks!

C.C. - Rosedale, NY

Denver and Hanver

Now the traditional "stockade" fence is available from Country Estate. This unique style provides privacy and air-flow. It works well as a screen for unsightly areas, and regardless of its age, The Denver style fence never needs painting. Of course, that also means it never needs scraping, and the finish will never peel or blister like painted wood. You can enjoy Denver with wide verticals or integrate a narrower Hannibal vertical between each Denver panel (we call it Hanver). The Hannibal and Denver caps are designed with identical bevels, so they look great together.



Standard Height Options: 48", 60", or 72"

Post Spacing Options: 4' or 6' center-to-center
(Notice - Posts must be exactly centered to allow for expansion.)

Post Dimensions:

48" High Fence =	5" x 5" x 84"
60" High Fence =	5" x 5" x 96"
72" High Fence =	5" x 5" x 108"

Standard Post Depth:

48" High Fence =	36" Post Depth
(Local conditions may require additional depth.)	60" High Fence = 36" Post Depth
	72" High Fence = 36" Post Depth

Standard Cap Style 5" x 5" Traditional (External Flange)

Horizontal Dimensions: 1 3/4" Thick x 3 1/2" Wide

Denver Pickets (Verticals)

4' Post Spacing	1/8" Between Pickets
6' Post Spacing	5/8" Between Pickets
Dimensions:	1" Thick x 6" Wide

Hanver Pickets (Verticals)

4' Post Spacing	25/32" Between Pickets
6' Post Spacing	1" Between Pickets
Dimensions:	1" Thick x 6" Wide & 7/8" Thick x 3" Wide

Ground Clearance: 2"
(Grade variations will cause inconsistent ground clearance measurements.)



(Gothic caps optional)



(Post ends optional)




(Gothic caps optional)

COUNTRY
ESTATE
FENCE

Georgetown and Nantucket

Everybody loves the traditional American picket fence and Country Estate's Georgetown is the most durable and trouble-free picket fence ever. It is meticulously constructed of virgin polyvinyl chloride extrusions that never need painting. They simply shrug off chipping, cracking and rotting problems so common to wood construction. The finest improvement to picket fences came hundreds of years after the fence was originated . . . it's Country Estate's Georgetown.



Standard Height Options: 36", 42", or 48"

Post Spacing Options: 4' or 6' Center to Center
(Notice - Posts must be exactly centered to allow for expansion.)

Post Dimensions:

36" High Fence =	3 1/2" x 3 1/2" x 60"
42" High Fence =	3 1/2" x 3 1/2" x 66"
48" High Fence =	3 1/2" x 3 1/2" x 72"

Standard Post Depth:

36" High Fence =	24" Post Depth
(Local conditions may require additional depth.)	42" High Fence = 24" Post Depth
	48" High Fence = 24" Post Depth

Standard Cap Style 3 1/2" x 3 1/2" Traditional (External Flange)

Horizontal Dimensions: 1 3/4" Thick x 3 1/2" Wide

Pickets (Verticals)

Georgetown Spacing:	1 9/16" Between Pickets
Nantucket Spacing:	1 3/4" Between Pickets

Picket Dimensions:

Georgetown:	3/4" Thick x 1 1/2" Wide
Nantucket:	7/8" Thick x 3" Wide

Ground Clearance: 2"
(Grade variations will cause inconsistent ground clearance measurements.)



(Gothic caps optional)




(Gothic caps optional)



COUNTRY
ESTATE
FENCE

Hampton

The Hampton Series provides three distinct styles for widely varying American home designs, available with straight, scalloped, or the new step profile. Strong verticals provide plenty of air-flow and semi-privacy at the same time.



Standard Height Options:	48", 60", or 72"
Post Spacing Options:	8' center-to-center (Notice - Posts must be exactly centered to allow for expansion.)
Post Dimensions:	48" High Fence = 5" x 5" x 72" 60" High Fence = 5" x 5" x 96" 72" High Fence = 5" x 5" x 108"
Standard Post Depth:	48" High Fence = 24" Post Depth (Local conditions may require additional depth.)
Standard Cap Style	5" x 5" Traditional (External Flange)
Horizontal Dimensions:	2" Thick x 3 1/2" Wide (Top) 2" Thick x 6" Wide (Bottom) Radius corner sections also available.
Pickets (Verticals)	1 7/8" Between Pickets
Picket Dimensions:	1 1/2" Thick x 1 1/2" Wide
Ground Clearance:	2" (Grade variations will cause inconsistent ground clearance measurements.)



Hampton
(straight)

U.S. Patent No. D378,784

(Gothic caps optional)



Hampton
(scallop)


Check with local building codes for pool enclosure regulations.



Hampton
(step)

(New England caps optional)

You can almost hear the paddle wheelers churning down the Mississippi on a hot summer day. Country Estate brings the flavor of Mark Twain's time to today's residential settings with the Hannibal traditional board fence . . . without the whitewashing that even Tom Sawyer disliked. The Hannibal is constructed of rugged and durable virgin polyvinyl chloride extrusions that are carefree after installation. Boards won't rot or split nor nails rust with Country Estate fence because PVC construction has replaced them with UV resistance and a timeless feeling like those summers long ago.



Standard Height Options: 36", 42", or 48"

Post Spacing Options: 4' or 6' center to center
(Notice - Posts must be exactly centered to allow for expansion.)

Post Dimensions:
36" High Fence = 3 1/2" x 3 1/2" x 60"
42" High Fence = 3 1/2" x 3 1/2" x 66"
48" High Fence = 3 1/2" x 3 1/2" x 72"

Standard Post Depth:
(Local conditions may require additional depth.)
36" High Fence = 24" Post Depth
42" High Fence = 24" Post Depth
48" High Fence = 24" Post Depth

Standard Cap Style 3 1/2" x 3 1/2" Traditional (External Flange)

Horizontal Dimensions: 1 3/4" Thick x 3 1/2" Wide

Pickets (Verticals)
Spacing Between Pickets: 1 3/4"
Dimensions: 7/8" Thick x 3" Wide

Ground Clearance: 2"
(Grade variations will cause inconsistent ground clearance measurements.)

COUNTRY
ESTATE
FENCE



(Gothic caps optional)




(Gothic caps optional)



(Gothic caps optional)

There was a time when fences were considered a restriction . . . a wall of sorts. Country Estate's many privacy and residential fence designs are changing that perception. Kensington's trim efficiency will add beauty and value to your property while allowing air flow. Your neighbors will recognize it as a strikingly beautiful addition to the neighborhood and it will never become an eye-sore begging for paint. The boards won't peel or blister, the nails won't rust, and the posts won't rot off. Country Estate Fence replaces those problems with ultra-violet resisters and impact modifiers that assure strength and beauty.



Standard Height Options: 48", 60", or 72"

Post Spacing Options: 6' or 8' center-to-center
(Notice - Posts must be exactly centered to allow for expansion.)

Post Dimensions: 48" High Fence = 5" x 5" x 72"
60" High Fence = 5" x 5" x 96"
72" High Fence = 5" x 5" x 108"

Standard Post Depth: 48" High Fence = 24" Post Depth
(Local conditions may require additional depth.)
60" High Fence = 36" Post Depth
72" High Fence = 36" Post Depth

Standard Cap Style 5" x 5" Traditional (External Flange)

Horizontal Dimensions: 1 3/4" Thick x 3 1/2" Wide


Pickets (Verticals)
6' Post Spacing 1-7/32" Between Pickets
8' Post Spacing 1 3/8" Between Pickets
Dimensions: 1" Thick x 6" Wide and 1" Thick x 2" Wide

Ground Clearance: 2"
(Grade variations will cause inconsistent ground clearance measurements.)



Lakeland and Hollingsworth


The Lakeland provides a solid privacy wall that features tongue-and-groove verticals for greater fence strength. Some Country Estate customers prefer Lakeland as pictured here . . . but others add a decorative eye-level layer of lattice. Lakeland has proven to be a solid choice among homeowners who want full privacy for their yard.



Lakeland

*Lakeland
Heavy-Duty*

Hollingsworth



*Lakeland
(concave)*

*Lakeland
(convex)*

Standard Height Options:	48", 60", 72"
Post Spacing Options:	8' center-to-center
(Note – Posts must be exactly centered to allow for expansion.)	
Post Dimensions:	48" High Fence = 5" x 5" x 84"
	60" High Fence = 5" x 5" x 96"
	72" High Fence = 5" x 5" x 108"
Standard Post Depth:	48" High Fence = 34" Depth
	60" High Fence = 34" Depth
	72" High Fence = 34" Depth
Standard Post Cap:	5" x 5" Traditional (External Flange)
Horizontal Dimensions:	1" Thick x 6" Wide
	(Top/Each Side- Convex & Concave)
	2" Thick x 7" Wide (Top-Mid)
	2" Thick x 7" Wide (Bottom)
Picket Dimensions (Verticals):	7/8" Thick x 7" Wide
Ground Clearance:	2"
(Grade Variations will cause inconsistent ground clearance measurements.)	

LAKELAND HEAVY-DUTY

Standard Height Options:	72"
Post Spacing Options:	8' center-to-center
(Note – Posts must be exactly centered to allow for expansion.)	
Post Dimensions:	72" High Fence = 5" x 5" x 108" (Heavy Wall)
Standard Post Depth:	72" High Fence = 34" Depth
Standard Post Cap:	5" x 5" Traditional (External Flange)
Horizontal Dimensions:	* 2" Thick x 6" Wide (Top, Middle, and Bottom)
Picket Dimensions (Verticals):	7/8" Thick x 7" Wide
Ground Clearance:	2"
(Grade Variations will cause inconsistent ground clearance measurements.)	
	* 2" Thick x 7" Top & Bottom



Lakeland



*Lakeland
(concave)*




*Lakeland
(convex)*



Hollingsworth

Lincolnshire features diamond shaped verticals for greater strength and reduced open space between pickets. The clean lines and dynamic shadowing appears the same from either side of the fence. This sturdy design looks great with modern home styles.



Standard Height Options:	48", 60", or 72"
Post Spacing Options:	8' center-to-center (Notice - Posts must be exactly centered to allow for expansion.)
Post Dimensions:	48" High Fence = 5" x 5" x 72" 60" High Fence = 5" x 5" x 96" 72" High Fence = 5" x 5" x 108"
Standard Post Depth:	48" High Fence = 22" Post Depth (Local conditions may require additional depth.)
	60" High Fence = 34" Post Depth 72" High Fence = 34" Post Depth
Standard Cap Style	5" x 5" Traditional (External Flange)
Horizontal Dimensions:	3 1/2" Wide x 3 1/2" Thick (Top & Bottom) 1 3/4" Wide x 3 1/2" Thick (Middle) Radius corner sections also available.
Pickets (Verticals)	3 1/4" Between Pickets
Picket Dimensions:	1 1/2" Wide x 1 1/2" Thick
Ground Clearance:	2"
	(Grade variations will cause inconsistent ground clearance measurements.)

COUNTRY
ESTATE
FENCE

Our customers say it best . . .

I have had three wood fences with 20-year guarantees that have rotted out. This one will last and always look new.

C.W. - Yorba Linda, CA

We have received so many great comments about the Hampton fence. It was almost overwhelming. It truly changed the look of our house.

G.P. - Carmel, IN

I was very impressed with the quality of work performed by the installer. He was courteous, neat and a very skilled craftsman.


E.G. - Oswego, IL

Both my wife and I are very happy with our fence. Some of our friends liked it also and have contracted the same dealer to install fences around their pools.

R.G. - Bloomsburg, PA

Montauk

The Country Estate Montauk Series provides the privacy you desire beyond a simple wall. You can control the appearance by selecting one of our family of styles which has been designed by our Country Estate dealers to accommodate various home styles across America.




Standard Height Options:	48", 60", 72"
Post Spacing Options:	8' center-to-center (Note - Posts must be exactly centered to allow for expansion.)
Post Dimensions:	48" High Fence = 5" x 5" x 84" 60" High Fence = 5" x 5" x 96" 72" High Fence = 5" x 5" x 108"
Standard Post Depth:	48" High Fence = 34" Depth 60" High Fence = 34" Depth 72" High Fence = 34" Depth
Standard Post Cap:	5" x 5" Traditional (External Flange)
Horizontal Dimensions:	2" Thick x 7" Wide (Bottom) 2" Thick x 7" Wide (Middle) 2" Thick x 3 1/2" Wide (Top - Montauk only) 1 3/4" Thick x 3 1/2" Wide (Top - Montauk Point Straight, Scallop, and Step)
Picket Dimensions (Verticals):	7/8" Thick x 7" Wide (Bottom) 1 1/2" Thick x 1 1/2" Wide (Top)
Ground Clearance:	2" (Grade Variations will cause inconsistent ground clearance measurements.)



(Gothic caps optional)



The Malibu from Country Estate is the contemporary design alternative with lifelong durability. Enjoy the beauty of traditional white fence without the traditional maintenance. The clean, smooth lines fit many applications including pool enclosures. (Warning: Check local building codes for pool enclosure regulations.) It is constructed of pure virgin polyvinyl compounds that consistently outperform any and all wood, metal or imitation polyvinyl fence products.



Standard Height Options: 36", 42", or 48"

Post Spacing Options: 4' or 6' center-to-center
(Notice - Posts must be exactly centered to allow for expansion.)

Post Dimensions:

36" High Fence =	3 1/2" x 3 1/2" x 60"
42" High Fence =	3 1/2" x 3 1/2" x 66"
48" High Fence =	3 1/2" x 3 1/2" x 72"

Standard Post Depth:

36" High Fence =	22" Post Depth
42" High Fence =	22" Post Depth
48" High Fence =	22" Post Depth

(Local conditions may require additional depth.)

Standard Cap Style 3 1/2" x 3 1/2" Traditional (External Flange)

Horizontal Dimensions: 1 3/4" Thick x 3 1/2" Wide
Radius corner sections also available.

Pickets (Verticals)

4' Post Spacing	1 15/16" Between Pickets
6' Post Spacing	1 15/16" Between Pickets
Dimensions:	1" Thick x 2" Wide

Ground Clearance: 2"
(Grade variations will cause inconsistent ground clearance measurements.)




(Gothic caps optional)

COUNTRY
ESTATE
FENCE

Marseille

The Europeans love lattice because it compliments a garden so well. The purity of white fence with a dash of lattice is not only beautiful when it's new, but unlike traditional fence after years of use, the Marseille doesn't need painting. You can enjoy the climbing ivy without having to tear it down to repaint. Country Estate Fence is constructed of the finest compounds of virgin polyvinyl chloride, a modern man-made substance that won't rot, chip, crack and it never yellows or requires painting. The Europeans were right. There's nothing like a touch of lattice.



(Gothic caps optional)




(Gothic caps optional)

Standard Height Options:	48", 60", or 72"
Post Spacing Options: (Notice - Posts must be exactly centered to allow for expansion.)	4' or 6'
Post Dimensions:	48" High Fence = 5" x 5" x 84" 60" High Fence = 5" x 5" x 96" 72" High Fence = 5" x 5" x 108"
Standard Post Depth: (Local conditions may require additional depth.)	48" High Fence = 36" Post Depth 60" High Fence = 36" Post Depth 72" High Fence = 36" Post Depth
Standard Cap Style	5" x 5" Traditional (External Flange)
Horizontal Dimensions:	1 3/4" Thick x 3 1/2" Wide
Pickets Dimensions (Verticals)	1" Thick x 6" Wide
Ground Clearance: (Grade variations will cause inconsistent ground clearance measurements.)	2"

Melbourne and Melbourne with Lattice

Melbourne provides complete privacy while permitting air to pass between the verticals. Great for surrounding patios or swimming pools. Notice the interesting shadow effect created by the offset verticals.



Standard Height Options: 48", 60", or 72"

Post Spacing Options: 8' center-to-center
(Notice - Posts must be exactly centered to allow for expansion.)

Post Dimensions:
48" High Fence = 5" x 5" x 72"
60" High Fence = 5" x 5" x 96"
72" High Fence = 5" x 5" x 108"

Standard Post Depth:
(Local conditions may require additional depth.)
48" High Fence = 22" Post Depth
60" High Fence = 34" Post Depth
72" High Fence = 34" Post Depth

Standard Cap Style 5" x 5" Traditional (External Flange)

Horizontal Dimensions: 3 1/2" Thick x 3 1/2" Wide

Pickets (Verticals)
Picket Dimensions: 5 3/8" Between Pickets
1" Thick x 6" Wide

Ground Clearance: 2"
(Grade variations will cause inconsistent ground clearance measurements.)



(New England caps optional)



COUNTRY
ESTATE
FENCE

Our customers say it best . . .


Wonderful products! These were great people to work with. We highly recommend our dealer to anyone wanting a fence from a fair, honest and courteous businessman. He went out of his way to meet our needs.

E.W. - Spokane, WA

We are very happy with the quality of the product and the professional manner in which it was installed.

S.H. - Green Bay, WI

Rochester provides semi-privacy with plenty of free airflow. The clean design makes it ideal for many home styles. You'll like the neighbor friendly style because it looks identical from either side.



Standard Height Options: 48", 60", 72"

Post Spacing Options: 8' center-to-center
(Note – Posts must be exactly centered to allow for expansion.)

Post Dimensions: 48" High Fence = 5" x 5" x 84"
60" High Fence = 5" x 5" x 96"
72" High Fence = 5" x 5" x 108"

Standard Post Depth: 48" High Fence = 24" Depth
60" High Fence = 36" Depth
72" High Fence = 36" Depth

Standard Post Cap: 5" x 5" Traditional (External Flange)

Horizontal Dimensions: 1 3/4" Thick x 3 1/2" Wide (Top, Mid & Bottom Rails)

Picket Dimensions (Verticals): 7/8" Thick x 3" Wide

Ground Clearance: 2"
(Grade Variations will cause inconsistent ground clearance measurements.)

Our customers say it best . . .

We have the best fence at Lake Barnadette Golf Course. All our neighbors want to do theirs. We have given or passed the name of the company who did our fence and hoped for the best. We selected 3 companies who could have done the job. We liked the design and the price was right from the Country Estate dealer who did a great job. Thank you.

M.P. - Zephyrhills, FL


Staff and Service were beyond anything we expected. It's a treat when people really care and show it. Thanks.

T.S.T. - Calgary, Alberta

The manager took the time to drive 30 miles to our home and visit with me about the fence type I wanted, the way it would be put up and how it would blend in with our home, at no cost or high pressure sales pitch. I also talked to other dealers of fencing and they would not take the time to come to our home and see what I wanted to do. I would highly recommend our Country Estate dealer to anyone! Their workers are neat, clean and take an interest in the job they do.

B.P. - Hutchinson, KS

The Springfield creates a nostalgic ambience of elegance, privacy . . . and turn-of-the century beauty as richly American as popcorn, lemonade, and Fourth of July firecrackers. But, the beauty doesn't end there . . . like all Country Estate PVC fence products, you'll never spend a single hour painting it. It is impervious to weather and it won't rot, peel, or blister. Just enjoy, year after year after year.



(Gothic caps optional)

Standard Height Options:	48", 60", or 72"
Post Spacing Options: (Notice - Posts must be exactly centered to allow for expansion.)	8' center-to-center
Post Dimensions:	48" High Fence = 5" x 5" x 72" 60" High Fence = 5" x 5" x 96" 72" High Fence = 5" x 5" x 108"
Standard Post Depth: (Local conditions may require additional depth.)	48" High Fence = 24" Post Depth 60" High Fence = 36" Post Depth 72" High Fence = 36" Post Depth
Standard Cap Style	5" x 5" Traditional (External Flange)
Horizontal Dimensions:	1 1/2" Thick x 5 1/2" Wide
Pickets (Verticals)	
Spacing Between Pickets:	2"
Dimensions:	7/8" Thick x 3" Wide
Ground Clearance:	2"
(Grade variations will cause inconsistent ground clearance measurements.)	

COUNTRY
ESTATE
FENCE



(Gothic caps optional)



(Gothic caps optional)




Country Estate Springfield adapts well to sloping terrain — note "steps" on bottom of fence sections. Note: "Standard" Springfield gates are scalloped up, unless specified.

(Gothic caps optional)

Windsor

Gain the total privacy you desire in a modern ranch-style fence design. We call it Windsor—many refer to it as “basket weave”. Regardless what you call it, this product is free from traditional maintenance. Country Estate Fence features PVC construction entirely with virgin compounds, impervious to moisture and freezing temperatures, and it won't peel, blister or rot. Forget painting, it's never needed with Country Estate Fence. When you select our product, you've eliminated the traditional maintenance found with wood, metal or imitation polyvinyl fence.



Standard Height Options: 48", 60", or 72"

Post Spacing Options: 8' center-to-center
(Notice - Posts must be exactly centered to allow for expansion.)

Post Dimensions: 48" High Fence = 5" x 5" x 84"
60" High Fence = 5" x 5" x 96"
72" High Fence = 5" x 5" x 108" (Heavy Wall)

Standard Post Depth: 48" High Fence = 36" Post Depth
(Local conditions may require additional depth.) 60" High Fence = 36" Post Depth
72" High Fence = 36" Post Depth

Standard Cap Style 5" x 5" Traditional (External Flange)

Horizontal Dimensions: 1" Thick x 6" Wide

Ground Clearance: 2"
(Grade variations will cause inconsistent ground clearance measurements.)

COUNTRY
ESTATE
FENCE



The Europeans use lattice throughout their homes, yards and flower gardens because it provides a beautiful setting for flowers and greenery. Durable PVC lattice by Country Estate is one of the most creative tools you can find today. These traditional lattice panels, constructed of scientifically formulated 100% virgin PVC compounds, never need painting. Maintenance? It's reduced to an absolute minimum — no flaking, blistering or rotting, and that's important since nearly all lattice touches the soil or plants at some point. We've combined the beauty of lattice with the impressive durability of PVC for a product with nearly unlimited design capabilities. Bring that Mediterranean feeling to your own yard today. . . with Country Estate Dura-Lattice.



SIZES AVAILABLE

4' x 8' Panels

1/4" x 1 1/2" strips placed at 45° angle

2" openings



See page 14 for more information on the Hampton.

Neighbor
Friendly

COUNTRY[®]
ESTATE
FENCE, DECK & RAILING

*Fences that look the
same from either side.*

This page: *Missouri*

We Care




- Neighbor Friendly Fences by Country Estate enjoy the same 50-Year, non-prorated Country Estate Limited Warranty that covers ALL of the PVC fencing products manufactured by Nebraska Plastics, Inc.
- All Neighbor Friendly Fences are manufactured from unique Country Estate premium quality PVC compounds.
- Each profile used in Neighbor Friendly Fence by Country Estate is extruded to the same premium quality standards found in all Country Estate Fence profiles, meeting or exceeding ASTM standard specification F964-02.
- All Neighbor Friendly Fence styles meet the 50%-open specification required by some building codes.
- All materials carry Underwriters Laboratories fire and smoke ratings.
- Each Neighbor Friendly Fence style meets our exacting standards for strength, durability and beauty.

Superior Quality is our Trademark.

Atlantic and Cape Cod


Relive a walk on the beach front every time you step out the front door with Atlantic, as each look at the nostalgic design evokes memories of picnics and homemade ice cream. Your neighbors will feel the same, too, thanks to its Neighbor-Friendly design, which looks the same from either side.

Standard height	36", 42" and 48"
Post spacing option	72" center to center
Post dimension	36" = 3 1/2" x 3 1/2" x 60" 42" = 3 1/2" x 3 1/2" x 66" 48" = 3 1/2" x 3 1/2" x 72"
Standard post depth	36" High Fence= 24" 42" High Fence= 24" 48" High Fence= 24"
Standard cap	3 1/2" Deep Flange
Horizontal Dimension	1 3/4" Thick x 3 1/2" Wide x 71" Long
Pickets	3/4" Thick x 1 1/2" Wide
Spacing	3 1/2" spacing
Ground Clearance	2"



Enjoy the nostalgic look of Cape Cod and still meet the 50% percent open specification required by some building codes. This classic adds a rich look to any contemporary home without the headaches often associated with a picket fence... like fading, peeling and cracking.


Standard height	36" , 42" and 48"
Post spacing option	72" center to center
Post dimension	36" = 3 1/2" x 3 1/2" x 60" 42" = 3 1/2" x 3 1/2" x 66" 48" = 3 1/2" x 3 1/2" x 72"
Standard post depth	36" High Fence= 24" 42" High Fence= 24" 48" High Fence= 24"
Standard cap	3 1/2" Deep Flange
Horizontal Dimension	1 3/4" Thick x 3 1/2" Wide x 71" Long
Pickets	7/8" Thick x 3" Wide spade top picket
Spacing	3 1/2" spacing
Ground Clearance	2"



Missouri

Tom Sawyer would have loved the clean look of the picket-style Missouri fence, no matter which side faced his beloved Mississippi River. Best of all, he would have never had the chore of painting it every few years, or had to con his friends into helping him.


Standard height	36" , 42" and 48"
Post spacing option	72" center to center
Post dimension	36" = 3 1/2" x 3 1/2" x 60" 42" = 3 1/2" x 3 1/2" x 66" 48" = 3 1/2" x 3 1/2" x 72"
Standard post depth	36" High Fence= 24" 42" High Fence= 24" 48" High Fence= 24"
Standard cap	3 1/2" Deep Flange
Horizontal Dimension	1 3/4" Thick x 3 1/2" Wide x 71" Long
Pickets	7/8" Thick x 3" Wide
Spacing	3 1/2" spacing
Ground Clearance	2"



Pacific

Available in three heights, the Pacific provides a secure boundary for pets and children, yet provides free air movement and a clean look that complements any yard. Its simple, smooth-line design can be further personalized with your choice of cap designs to make it your own.

Standard height	36" , 42" and 48"
Post spacing option	72" center to center
Post dimension	36" = 3 1/2" x 3 1/2" x 60" 42" = 3 1/2" x 3 1/2" x 66" 48" = 3 1/2" x 3 1/2" x 72"
Standard post depth	36" High Fence= 24" 42" High Fence= 24" 48" High Fence= 24"
Standard cap	3 1/2" Deep Flange
Horizontal Dimension	1 3/4" Thick x 3 1/2" Wide x 71" Long
Pickets	3/4" Thick x 1 1/2" Wide
Spacing	3 1/2" spacing
Ground Clearance	2"



(Continued on next page)


Pacific Diamond

Similar to the Pacific, the Pacific Diamond features diamond-shaped, one-inch square pickets for strength, clean lines and dynamic shadowing that looks great with any modern home style. Best of all, the diamond pickets, which can be hard to reach with a brush, never need painting.

Standard height	36" , 42" and 48"
Post spacing option	72" center to center
Post dimension	36" = 3 1/2" x 3 1/2" x 60" 42" = 3 1/2" x 3 1/2" x 66" 48" = 3 1/2" x 3 1/2" x 72"
Standard post depth	36" High Fence= 24" 42" High Fence= 24" 48" High Fence= 24"
Standard cap	3 1/2" Deep Flange
Horizontal Dimension	1 3/4" Thick x 3 1/2" Wide x 71" Long
Pickets	1" Thick x 1" Wide (on diamond shape)
Spacing	3 11/16" spacing
Ground Clearance	2"



Pacific Diamond™



Pacific Diamond™


Potomac

With its sturdy, evenly spaced pickets, the Potomac provides a distinctive style that complements a variety of home designs. Yet, this economical option still offers all the trouble-free features of virgin polyvinyl that make it free from traditional maintenance.

Standard height	48", 60" and 72"
Post spacing option	72" center to center
Post dimension	48" = 5" x 5" x 72" 60" = 5" x 5" x 96" 72" = 5" x 5" x 108"
Standard post depth	48" High Fence = 24" 60" High Fence = 36" 72" High Fence = 36"
Standard cap	5" Deep Flange
Horizontal Dimension	2" Thick x 3 1/2" Wide x 71" Long (top) 2" Thick x 6" Wide x 71" Long (bottom)
Pickets	7/8" Thick x 3" Wide
Spacing	3 11/32" spacing
Ground Clearance	2"



Potomac™
(Gothic caps optional)




Potomac™

Ranchero and Ranchette


Whether it serves as the boundary for a flower garden or a small estate, a Ranchero fence makes a beautiful, yet distinct border around any property. One or two rails establish a clear deterrent without becoming a barrier to people or lawn equipment.

Standard height	16" = one rail, 24" = two rail
Post spacing option	72" center to center
Post dimension	16" = 3 1/2" x 3 1/2" x 30" 24" = 3 1/2" x 3 1/2" x 40"
Standard post depth	16" High Fence = 14" 24" High Fence = 16"
Standard cap	3 1/2" Deep Flange
Horizontal Dimension	1" Thick x 4" Wide x 71" Long
Spacing	7" Between (two rail)
Ground Clearance	10" (one rail) or 7" (two rail)



Available with one or two rails, the Ranchette provides the perfect accent to a home without hiding the home itself. A minimum of eight inches of ground clearance (two-rail model) allows effortless mowing or string trimming between posts for a clean, well-manicured property.

Standard height	17" = one rail, 24" = two rail
Post spacing option	72" center to center
Post dimension	17" = 3 1/2" x 3 1/2" x 30" 24" = 3 1/2" x 3 1/2" x 40"
Standard post depth	17" High Fence = 13" 24" High Fence = 12"
Standard cap	3 1/2" Deep Flange
Horizontal Dimension	1 3/4" Thick x 3 1/2" Wide x 71" Long
Spacing	7" Between (two rail)
Ground Clearance	11 1/2" (one rail) or 8" (two rail)



Sacramento

With its 1 1/2-inch square pickets, the Sacramento is the perfect compromise between a traditional picket fence and a contemporary Pacific style. As a result, it's looks equally at home beside a concrete driveway or a brick sidewalk.

Standard height	48", 60" and 72"
Post spacing option	72" center to center
Post dimension	48" = 5" x 5" x 72" 60" = 5" x 5" x 96" 72" = 5" x 5" x 108"
Standard post depth	48" High Fence = 24" 60" High Fence = 36" 72" High Fence = 36"
Standard cap	5" Deep Flange
Horizontal Dimension	2" Thick x 3 1/2" Wide x 71" Long (top) 2" Thick x 6" Wide x 71" Long (bottom)
Pickets	1 1/2" Thick x 1 1/2" Wide
Spacing	3 3/4" spacing
Ground Clearance	2"



**Country Estate® Gates may be custom-built.
Consult your Authorized Independent Country Estate Dealer.**

Country Estate gates include diagonal bracing and patented gate sockets for a long service life. Your gates will function best when placed on level ground . . . consult your dealer for the best solution. Heavy-duty commercial hardware also available.



(Gothic caps optional)



Dalton



Hampton Scallop



Clayton



Georgetown



Montauk Scallop

Some gates shown with optional decorative caps.

Patented Gate Socket

The Country Estate patented gate socket is an extruded product that is more durable than a molded piece, featuring an impressive wall thickness. Once this patented gate socket is properly cemented inside the end upright of the gate and the rail is cemented inside of the socket, the rail cannot move in or out and it cannot move up, down or sideways. It is an especially good device because it is contained completely inside the upright and therefore, does not detract from the gate's appearance since it cannot be seen from the exterior. There are no external brackets or visible screws.



**COUNTRY
ESTATE**
FENCE, DECK & RAILING

Country Estate® Gates

We offer high quality Country Estate® Gates for all of our fence styles.

We Care

**COUNTRY[®]
ESTATE**
FENCE, DECK & RAILING

Rail Fence

This page: *Two Rail*



All Country Estate PVC Products
may be Recycled.

Material Specifications

Rigid PVC Homopolymer compound. Modified for cold weather impact retention. High level of Titanium Dioxide pigment throughout the entire extrusion for long term ultraviolet light resistance.

Cell Classification - ASTM D-4216 1-43332-32-0000

Cell Classification - ASTM D-1784 14344B

Typical values:

ASTM D256 Izod Impact (Ft. lbs./inch notch)

23°C-5.0 0°C-2.0

ASTM D638 Tensile Strength 6,500 psi

ASTM D638 Tensile Modulus 545,000 psi*

ASTM D648 Deflection Temp. 71°C

ASTM D4226 Drop Dart Procedure A 2.51 (in.-lb/mil)

ASTM D4226 Drop Dart Procedure B 4.50 (in.-lb/mil)

ASTM D695 Compressive (Yield) Strength 8,780 psi

ASTM D696 Thermal Expansion 4.4×10^{-5} in./in./°F

ASTM D732 Shear Strength 6,780 psi

ASTM D790 Flexural Strength 11,400 psi

* Tensile Modulus should be used for design purposes with caution. Values listed are representative for short term loading (such as livestock pushing on fence). The long term creep characteristics under continuous loading are unknown.

Standard Specifications

For Rail Fence (Conforms to ASTM F964)

Item	TxW	Length
Fence Rails	1 1/2" x 5 1/2"	16'
	2" x 6"	
	2 7/8" round	
Fence Posts	5" x 5"	6', 7', 8'
	5" O.D. round	
Fence Post Cap (Deep flange cap or internal flange cap.)	5" x 5"	
	5" O.D. round	
Fence Post Bracket	1 1/2" x 5 1/2"	
	2" x 6"	

These standard measurements apply to both 1-1/2" x 5-1/2" rails and 2" x 6" rails.

- On all Country Estate rail fencing, the top rail is mounted 2" from the top of the post.
- On two-rail and three-rail fencing, there is 11 inches between rails.
- On four-rail fencing, there is 9 inches between the rails.

Radius corner sections also available.



*Country Estate
Three Rail*

Country Estate 3-Rail Fence is the most popular.



*Country Estate
Two Rail*

Country Estate 2-Rail Fence compliments nearly any wide open expanse.



*Country Estate
Four Rail*

Country Estate 4-Rail Fence is strong.



*Country Estate
Round Rail*

Many customers prefer our round rail fence.

The ORIGINAL white polyvinyl fence ...
still the #1 choice of equine professionals.

How much does your fence really cost?

Country Estate Fence is both cost effective and does not require traditional maintenance. Exhaustive laboratory and field tests on horse farms throughout the United States fully support all claims of economy. Country Estate Fence polyvinyl components are constructed of scientifically formulated 100% virgin PVC compounds. . . consistently outperforming any and all wood, metal or imitation polyvinyl fence products.

Since the introduction of Country Estate Fence, equine professionals have applauded the greater protection polyvinyl fence provides their animals. The day Country Estate Fence is installed properly, all traditional fence maintenance halts.



All Country Estate PVC Products
may be Recycled.



The world's first polyvinyl fence was Country Estate®.



The original Country Estate Fence is the center section in this photo, installed more than 28 years ago.

COUNTRY®
ESTATE
FENCE

Your choice of traditional white (or two colors) and five unique post cap styles.

Once the product is extruded, whether packaged or not or stored inside or outside, it begins its normal weathering process. Changes may vary depending on the atmospheric conditions in your region.

Acceptability with color is that the shades are within the specified range of set industry guidelines at the time of extrusion.



(Colors shown may vary)

COUNTRY ESTATE®

FENCE, DECK & RAILING

Country Estate® Railing


Add lasting beauty with Country Estate porch, deck and balcony railing.

Country Estate Railings provide a beautiful finishing touch to any property and are free from traditional maintenance. The wide selection of styles provides a beautiful compliment for virtually any type of architecture.

All Country Estate Railings (except teardrop baluster) meet or exceed ICC specifications listed in AC-174 and have been independently verified by Architectural Testing Incorporated. You can view the Nebraska Plastics, Inc. Code Compliance Research Report at www.archtest.com.

Country Estate Railings are designed with aesthetics and safety in mind. When properly installed, Country Estate Railings are a beautiful and secure addition to your construction project.

Country Estate Railings are made with 100% virgin polyvinyl and reinforced with a system of aluminum and wood for lasting superior structural integrity.



COUNTRY ESTATE®

FENCE, DECK & RAILING


Country Estate® Decking

Country Estate Decking adds beauty and comfort to every setting.

- Always cool to the touch and kind to bare feet. Surface is sanded and grooved for a non-slick surface.
- Much easier to wash than wooden or concrete surfaces.
- Country Estate Decking is made from 100% virgin PVC.
- The color is solid throughout our extrusion so it never shows a second color when scratched or marred like co-extruded polyvinyl.
- Never discolors from pressure washing or constant exposure to water.
- Forget splinters, rotting deck or squeaks.
- No nail heads to snag — snow scoops off easily.
- No more waterproofing with sealants or chemicals again — a safer play surface for children.




Country Estate® latches and hinges are time-proven stainless steel/powder coated.



Commercial Hardware

Heavy-duty commercial hinges and latches wrap around 3 sides of a 5" x 5" post.



Utility Latch

Designed for smaller post dimensions (3 1/2" x 3 1/2" or 4" x 4")



Universal Hardware

Universal hinges wrap two sides of the post and may be used on 3 1/2" x 3 1/2", 4" x 4" or 5" x 5" posts.

Planning your project . . .

To assure the beauty of your investment, give considerable thought to location and alignment. With property-line fencing, you may wish to have your property surveyed. Check local building codes for height and set-back requirements. Apply for building permits and allow sufficient approval time prior to your scheduling of an installation crew. Discuss these requirements with your Authorized Independent Country Estate dealer/installer. He may offer to help you with the application forms. You may request a free copy of our publication: Country Estate Fence Products Installation Instructions.

Homeowners who wish to install their own Country Estate Fence and professional fence installers who have a reputation for good quality work find that most of the procedures they use with traditional fence materials are directly transferable to Country Estate Fence. Because of the versatility of Country Estate Fence Products and the varying needs of the property owners who purchase our products, there are numerous design and installation options available. Discuss these options with your Authorized Independent Country Estate dealer/installer before ordering.

The materials for most Country Estate Fence installations arrive at the job site with the posts, rails and/or panels pre-cut to length. If job site fabrication is required, the PVC in Country Estate Fence can be cut with hand or power saws. For best results, use a saw with a finishing blade that has no set in its teeth.

For fabricating gates and panels, we provide either self-tapping stainless steel screws or PVC rivets. Drill starter holes to assure that screw heads set flush and secure against the PVC surface. Polyvinyl products must be installed to permit expansion and contraction.

Remember: As with traditional fencing materials, for the personal safety of those using power equipment, make certain that all electrical equipment is properly grounded; that hands, face and eyes are adequately protected; and that all equipment is operated as recommended by its manufacturer.